ELSEVIER

Hearing Research 117 (1998) 181–182

HEARING RESEARCH

Author Index Volume 117

Berlin, C.I., see Huang, J.-M. (117) 24
Bianchi, L.M., and Gale, N.W.
Distribution of Eph-related molecules in the developing and mature cochlea (117) 161
Bouman, H., Klis, S.F.L., De Groot, J.C.M.J., Huizing, E.H., Smoorenburg, G.F. and Veldman, J.E.
Induction of endolymphatic hydrops in the guinea pig by perisaccular deposition of sepharose beads carrying and not carrying immune complexes (117) 119

Campo, P., see McFadden, S.L. (117) 81
Collet, L., see Maison, S. (117) 114
Cone-Wesson, B., see Hill, K.G. (117) 97

De Groot, J.C.M.J., see Bouman, H. (117) 119
Dezsõ, B., see Jókay, I. (117) 131
Ding, D., see McFadden, S.L. (117) 81

Eggermont, J.J., and Kenmochi, M.
Salicylate and quinine selectively increase spontaneous firing rates in secondary auditory cortex (117) 149

Furuta, H., Luo, L., Ryan, A.F. and Mori, N.
Expression of mRNA encoding vasopressin V1a, vasopressin V2, and ANP-B receptors in the rat cochlea (117) 140

Gale, N.W., see Bianchi, L.M. (117) 161
Gao, W.-Q., see Zheng, J.L. (117) 13
Giguère, C., see van Emst, M.G. (117) 178

Henderson, D., see Jacono, A.A. (117) 31
Hill, K.G., Cone-Wesson, B. and Liu, G.-B.
Development of auditory function in the tammar wallaby *Macropus eugenii* (117) 97
Hosaka, N., see Iwai, H. (117) 173
Housley, G.D., see Vlajkovic, S.M. (117) 71
Hu, B., see Jacono, A.A. (117) 31
Huang, J.-M., Berlin, C.I., Lin, S.-T. and Keats, B.J.B.
Low intensities and 1.3 ratio produce distortion product otoacoustic emissions which are larger in heterozygous (+/*dn*) than homozygous (+/+) mice (117) 24
Huizing, E.H., see Bouman, H. (117) 119

Ikeda, H., see Iwai, H. (117) 173
Ikehara, S., see Iwai, H. (117) 173
Inaba, M., see Iwai, H. (117) 173
Iwai, H., Tomoda, K., Hosaka, N., Miyashima, S., Suzuka, Y., Ikeda, H., Lee, S., Inaba, M., Ikehara, S. and Yamashita, T.
Induction of immune-mediated hearing loss in SCID mice by injection of MRL/lpr mouse spleen cells (117) 173

Jacono, A.A., Hu, B., Kopke, R.D., Henderson, D., Van De Water, T.R. and Steinman, H.M.
Changes in cochlear antioxidant enzyme activity after sound conditioning and noise exposure in the chinchilla (117) 31
Jókay, I., Soós, G., Répássy, G. and Dezsõ, B.
Apoptosis in the human inner ear
Detection by in situ end-labeling of fragmented DNA and correlation with other markers (117) 131

Keats, B.J.B., see Huang, J.-M. (117) 24
Kelly, J.B., see Zhang, D.X. (117) 1
Kendrick, I.S., see Vlajkovic, S.M. (117) 71
Kenmochi, M., see Eggermont, J.J. (117) 149
Klis, S.F.L., see Bouman, H. (117) 119
Kopke, R.D., see Jacono, A.A. (117) 31

Lee, S., see Iwai, H. (117) 173
Lewis, A.K., see Zheng, J.L. (117) 13
Li, L., see Zhang, D.X. (117) 1
Lin, S.-T., see Huang, J.-M. (117) 24
Liu, G.-B., see Hill, K.G. (117) 97
Luo, L., see Furuta, H. (117) 140

Maison, S., Micheyl, C. and Collet, L.
Contralateral frequency-modulated tones suppress transient-evoked otoacoustic emissions in humans (117) 114
McFadden, S.L., Campo, P., Ding, D. and Quaranta, N.
Effects of noise on inferior colliculus evoked potentials and cochlear anatomy in young and aged chinchillas (117) 81
Micheyl, C., see Maison, S. (117) 114
Miller, R.L., see Schilling, J.R. (117) 57
Miyashima, S., see Iwai, H. (117) 173
Mori, N., see Furuta, H. (117) 140
Muñoz, D.J.B., see Vlajkovic, S.M. (117) 71

Penner, M.J., see Zhang, T. (117) 107

Quaranta, N., see McFadden, S.L. (117) 81

Répássy, G., see Jókay, I. (117) 131
Rhode, W.S.,
Neural encoding of single-formant stimuli in the ventral cochlear nucleus of the chinchilla (117) 39
Ryan, A.F., see Furuta, H. (117) 140

Sachs, M.B., see Schilling, J.R. (117) 57
Schilling, J.R., Miller, R.L., Sachs, M.B. and Young, E.D.
Frequency-shaped amplification changes the neural representation of speech with noise-induced hearing loss (117) 57
Smoorenburg, G.F., see Bouman, H. (117) 119

Smoorenburg, G.F., see van Emst, M.G. (117) 178
Soós, G., see Jókay, I. (117) 131
Steinman, H.M., see Jacono, A.A. (117) 31
Suzuka, Y., see Iwai, H. (117) 173

Thorne, P.R., see Vlajkovic, S.M. (117) 71
Tomoda, K., see Iwai, H. (117) 173

Van De Water, T.R., see Jacono, A.A. (117) 31
Van Emst, M.G., Giguère, C. and Smoorenburg, G.F.
Erratum to "The generation of DC potentials in a computational model of the organ of Corti: effects of voltage-dependent K^+ channels in the basolateral membrane of the inner hair cell" [Hear. Res. 115 (1998) 184-196] (117) 178
Veldman, J.E., see Bouman, H. (117) 119
Vlajkovic, S.M., Thorne, P.R., Housley, G.D., Muñoz, D.J.B. and Kendrick, I.S.
The pharmacology and kinetics of ecto-nucleotidases in the perilymphatic compartment of the guinea-pig cochlea (117) 71

Wu, S.H., see Zhang, D.X. (117) 1

Yamashita, T., see Iwai, H. (117) 173
Young, E.D., see Schilling, J.R. (117) 57

Zhang, D.X., Li, L., Kelly, J.B. and Wu, S.H.
GABAergic projections from the lateral lemniscus to the inferior colliculus of the rat (117) 1
Zhang, T., and Penner, M.J.
A new method for the automated detection of spontaneous otoacoustic emissions embedded in noisy data (117) 107
Zheng, J.L., Lewis, A.K. and Gao, W.-Q.
Establishment of conditionally immortalized rat utricular epithelial cell lines using a retrovirus-mediated gene transfer technique (117) 13

ELSEVIER

Hearing Research 117 (1998) 183–186

HEARING RESEARCH

Subject Index Volume 117

Acoustic trauma
Age-related hearing loss; Noise-induced hearing loss; Presbycusis; Threshold shift (McFadden, S.L. (117) 81)

Acquired resistance to noise
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Catalase; Chinchilla; Sound conditioning (Jacono, A.A. (117) 31)

Actinomycin D-induced apoptosis
Adult and fetal inner ear; Apoptosis; Immunohistochemistry (Jókay, I. (117) 131)

Adenine nucleotide
Ecto-nucleotidase; Ecto-ATPase; Ecto-ATP diphosphohydrolase; Ecto-5′-nucleotidase; Cochlea (Vlajkovic, S.M. (117) 71)

Adult and fetal inner ear
Apoptosis; Actinomycin D-induced apoptosis; Immunohistochemistry (Jókay, I. (117) 131)

Age-related hearing loss
Acoustic trauma; Noise-induced hearing loss; Presbycusis; Threshold shift (McFadden, S.L. (117) 81)

Anterior auditory field
Cat; Primary auditory cortex; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Antioxidant enzyme
Cochlea; Noise-induced hearing loss; Stria vascularis; Organ of Corti; Glutathione; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Apoptosis
Adult and fetal inner ear; Actinomycin D-induced apoptosis; Immunohistochemistry (Jókay, I. (117) 131)

Artifact rejection
Spontaneous otoacoustic emission; Detection of spontaneous otoacoustic emission; Spectral analysis; Ear difference; Gender difference (Zhang, T. (117) 107)

Auditory
Inner ear; Ephrin; Gerbil (Bianchi, L.M. (117) 161)

Auditory development; Marsupial development (Hill, K.G. (117) 97)

Auditory development
Auditory brainstem response; Marsupial development (Hill, K.G. (117) 97)

Auditory nerve
Noise-induced hearing loss; Speech; Hearing aid (Schilling, J.R. (117) 57)

Auditory system
Hearing; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Fluorogold; Immunocytochemistry; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Autoimmune disease
Stria vascularis; Immunocompetent cell; Systemic lupus erythematosus (Iwai, H. (117) 173)

Cat
Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Chinchilla
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Catalase; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Cochlea
Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Ecto-nucleotidase; Ecto-ATPase; Ecto-ATP diphosphohydrolase; Ecto-5′-nucleotidase; Adenine nucleotide (Vlajkovic, S.M. (117) 71)

Medial olivocochlear system; Otoacoustic emission; Human; Frequency modulation (Maison, S. (117) 114)

Cochlear nucleus
Single formant; Vowel; Physiology (Rhode, W.S. (117) 39)

Curly-tail mouse
Deafness mouse; Distortion product otoacoustic emission; *dn* gene carrier (Huang, J.-M. (117) 24)

***Deafness* mouse**
Curly-tail mouse; Distortion product otoacoustic emission; *dn* gene carrier (Huang, J.-M. (117) 24)

Detection of spontaneous otoacoustic emission
Spontaneous otoacoustic emission; Artifact rejection; Spectral analysis; Ear difference; Gender difference (Zhang, T. (117) 107)

Differentiation
Immortalization; Supporting cell; Hair cell; Proliferation; Vestibular; Inner ear (Zheng, J.L. (117) 13)

Distortion product otoacoustic emission
Curly-tail mouse; *Deafness* mouse; *dn* gene carrier (Huang, J.-M. (117) 24)

***dn* gene carrier**
Curly-tail mouse; *Deafness* mouse; Distortion product otoacoustic emission (Huang, J.-M. (117) 24)

Ear difference
Spontaneous otoacoustic emission; Detection of spontaneous otoacoustic emission; Artifact rejection; Spectral analysis; Gender difference (Zhang, T. (117) 107)

Ecto-5′-nucleotidase
Ecto-nucleotidase; Ecto-ATPase; Ecto-ATP diphosphohydrolase; Adenine nucleotide; Cochlea (Vlajkovic, S.M. (117) 71)

Ecto-ATP diphosphohydrolase
Ecto-nucleotidase; Ecto-ATPase; Ecto-5′-nucleotidase; Adenine nucleotide; Cochlea (Vlajkovic, S.M. (117) 71)

Ecto-ATPase
Ecto-nucleotidase; Ecto-ATP diphosphohydrolase; Ecto-5′-nucleotidase; Adenine nucleotide; Cochlea (Vlajkovic, S.M. (117) 71)

Ecto-nucleotidase
Ecto-ATPase; Ecto-ATP diphosphohydrolase; Ecto-5′-nucleotidase; Adenine nucleotide; Cochlea (Vlajkovic, S.M. (117) 71)

Endolymphatic hydrops
Immune response (Bouman, H. (117) 119)

Ephrin
Inner ear; Auditory; Gerbil (Bianchi, L.M. (117) 161)

Fluorescent retrograde tracing
Auditory system; Hearing; Gamma-aminobutyric acid; Fluorogold; Immunocytochemistry; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Fluorogold
Auditory system; Hearing; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Immunocytochemistry; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Frequency modulation
Medial olivocochlear system; Cochlear micromechanism; Otoacoustic emission; Human (Maison, S. (117) 114)

Gamma-aminobutyric acid
Auditory system; Hearing; Fluorescent retrograde tracing; Fluorogold; Immunocytochemistry; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Gender difference
Spontaneous otoacoustic emission; Detection of spontaneous otoacoustic emission; Artifact rejection; Spectral analysis; Ear difference (Zhang, T. (117) 107)

Gerbil
Inner ear; Auditory; Ephrin (Bianchi, L.M. (117) 161)

Glutathione
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Hair cell
Immortalization; Supporting cell; Differentiation; Proliferation; Vestibular; Inner ear (Zheng, J.L. (117) 13)

Hearing
Auditory system; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Fluorogold; Immunocytochemistry; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Noise-induced hearing loss; Auditory nerve; Speech (Schilling, J.R. (117) 57)

Human
Medial olivocochlear system; Cochlear micromechanism; Otoacoustic emission; Frequency modulation (Maison, S. (117) 114)

Immortalization
Supporting cell; Hair cell; Differentiation; Proliferation; Vestibular; Inner ear (Zheng, J.L. (117) 13)

Immune response
Endolymphatic hydrops (Bouman, H. (117) 119)

Immunocompetent cell
Autoimmune disease; Stria vascularis; Systemic lupus erythematosus (Iwai, H. (117) 173)

Immunocytochemistry
Auditory system; Hearing; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Fluorogold; Lateral lemniscus; Inferior colliculus (Zhang, D.X. (117) 1)

Immunohistochemistry
Adult and fetal inner ear; Apoptosis; Actinomycin D-induced apoptosis (Jókay, I. (117) 131)

In situ hybridization
Natriuretic peptide; Polymerase chain reaction; Rat; Receptor; Vasopressin (Furuta, H. (117) 140)

Inferior colliculus
Auditory system; Hearing; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Fluorogold; Immunocytochemistry; Lateral lemniscus (Zhang, D.X. (117) 1)

Inner ear
Immortalization; Supporting cell; Hair cell; Differentiation; Proliferation; Vestibular (Zheng, J.L. (117) 13)

Auditory; Ephrin; Gerbil (Bianchi, L.M. (117) 161)

Lateral lemniscus
Auditory system; Hearing; Gamma-aminobutyric acid; Fluorescent retrograde tracing; Fluorogold; Immunocytochemistry; Inferior colliculus (Zhang, D.X. (117) 1)

Marsupial development
Auditory development; Auditory brainstem response (Hill, K.G. (117) 97)

Medial olivocochlear system
Cochlear micromechanism; Otoacoustic emission; Human; Frequency modulation (Maison, S. (117) 114)

Multi-unit recording
Cat; Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Spontaneous firing rate; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Natriuretic peptide
In situ hybridization; Polymerase chain reaction; Rat; Receptor; Vasopressin (Furuta, H. (117) 140)

Noise-induced hearing loss
Cochlea; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Auditory nerve; Speech; Hearing aid (Schilling, J.R. (117) 57)

Acoustic trauma; Age-related hearing loss; Presbycusis; Threshold shift (McFadden, S.L. (117) 81)

Organ of Corti
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Glutathione; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Otoacoustic emission
Medial olivocochlear system; Cochlear micromechanism; Human; Frequency modulation (Maison, S. (117) 114)

Physiology
Cochlear nucleus; Single formant; Vowel (Rhode, W.S. (117) 39)

Polymerase chain reaction
In situ hybridization; Natriuretic peptide; Rat; Receptor; Vasopressin (Furuta, H. (117) 140)

Presbycusis
Acoustic trauma; Age-related hearing loss; Noise-induced hearing loss; Threshold shift (McFadden, S.L. (117) 81)

Primary auditory cortex
Cat; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Proliferation
Immortalization; Supporting cell; Hair cell; Differentiation; Vestibular; Inner ear (Zheng, J.L. (117) 13)

Quinine
Cat; Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Salicylate; Tinnitus (Eggermont, J.J. (117) 149)

Rat
In situ hybridization; Natriuretic peptide; Polymerase chain reaction; Receptor; Vasopressin (Furuta, H. (117) 140)

Receptor
In situ hybridization; Natriuretic peptide; Polymerase chain reaction; Rat; Vasopressin (Furuta, H. (117) 140)

Salicylate
Cat; Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Secondary auditory cortex
Cat; Primary auditory cortex; Anterior auditory field; Multi-unit recording; Spontaneous firing rate; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Single formant
Cochlear nucleus; Vowel; Physiology (Rhode, W.S. (117) 39)

Sound conditioning
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Stria vascularis; Organ of Corti; Glutathione; Catalase; Chinchilla; Acquired resistance to noise (Jacono, A.A. (117) 31)

Spectral analysis
Spontaneous otoacoustic emission; Detection of spontaneous otoacoustic emission; Artifact rejection; Ear difference; Gender difference (Zhang, T. (117) 107)

Speech
Noise-induced hearing loss; Auditory nerve; Hearing aid (Schilling, J.R. (117) 57)

Spontaneous firing rate
Cat; Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Salicylate; Quinine; Tinnitus (Eggermont, J.J. (117) 149)

Spontaneous otoacoustic emission
Detection of spontaneous otoacoustic emission; Artifact rejection; Spectral analysis; Ear difference; Gender difference (Zhang, T. (117) 107)

Stria vascularis
Cochlea; Noise-induced hearing loss; Antioxidant enzyme; Organ of Corti; Glutathione; Catalase; Chinchilla; Sound conditioning; Acquired resistance to noise (Jacono, A.A. (117) 31)

Autoimmune disease; Immunocompetent cell; Systemic lupus erythematosus (Iwai, H. (117) 173)

Supporting cell
Immortalization; Hair cell; Differentiation; Proliferation; Vestibular; Inner ear (Zheng, J.L. (117) 13)

Systemic lupus erythematosus
Autoimmune disease; Stria vascularis; Immunocompetent cell (Iwai, H. (117) 173)

Threshold shift
Acoustic trauma; Age-related hearing loss; Noise-induced hearing loss; Presbycusis (McFadden, S.L. (117) 81)

Tinnitus
Cat; Primary auditory cortex; Anterior auditory field; Secondary auditory cortex; Multi-unit recording; Spontaneous firing rate; Salicylate; Quinine (Eggermont, J.J. (117) 149)

Vasopressin
In situ hybridization; Natriuretic peptide; Polymerase chain reaction; Rat; Receptor (Furuta, H. (117) 140)

Vestibular
Immortalization; Supporting cell; Hair cell; Differentiation; Proliferation; Inner ear (Zheng, J.L. (117) 13)

Vowel
Cochlear nucleus; Single formant; Physiology (Rhode, W.S. (117) 39)